

Contents

- 02 What is MATRIX Robotics?
- **03 MATRIX Can help applicable scenarios**
- **04 Our Milestones**
- **05 MATRIX: The bridge to the future of robotics**
- **06 MATRIX Controller**
- **07 MATRIXBlock**
- **08 MATRIX Building System**
- **09 Our Clients Say**
- 10 MATRIX Education Solution
- 12 MATRIX Mini Essential Set
- 14 MATRIX MissionGO Set
- **16 MATRIX Future Innovators Set**
- 18 MATRIX FTC Challenge Set
- 19 MATRIX Expansion Set
- 20 Electronic module
- **28 Motion Modules**
- **31 MATRIX Certification and Development**
- 32 Master AI Robot Cup (MARC)



What is MATRIX Robotics?

MATRIX is the smart robotics platform and ecosystem built on education, industry, and international standards.

In the fast-paced AI era, a complete and highly efficient teaching solution is your critical advantage to excel.

Educational equipment

Teaching resources

Competition & Certification

EASY

Intuitive building

The MATRIX building system uses a real-world close-tolife connection method, allowing your concepts to be visualized and rapidly formed with simple ease.

Dual-Language learning

MATRIXBlock provides the corresponding C++ code for every block, enabling you to effortlessly learn both programming languages.

FAST

Mechanism adjustment

Utilizing the MATRIX patented quick connector, mechanical structures can be disassembled and reassembled in just one second, greatly accelerating development time.

Innovation validation

The wealth of electronic control modules and structural components allows you to rapidly validate any innovative idea at any time.

PROFESSIONAL

Internationa I recognition

MATRIX products are featured in world-renowned robotics competitions such as WRO, FIRST, WorldSkills, and MARC.

Industry application

Leading companies like Google and HIWIN have chosen the MATRIX Building System as a component for their industrial showcase projects.

MATRIX Can help applicable scenarios

K-12 STEM

Competitions & Certifications

Interdisciplinary learning

Maker & development

Science and technology clubs

Topic Research

Solving real-world teaching challenges

Challenges	MATRIX Can help
Curriculum is disconnected from industry.	Industry-grade modules + open-source design enable the easy acquisition of knowledge that is directly applicable in the future workplace.
Difficulty maintaining focus/attention.	Remote control, graphical programming, C language, and AI-assisted coding make learning engaging, helping students quickly gain a sense of achievement.
Difficulty demonstrating teaching effectiveness.	The learning objectives are matched with competitions and certifications, and professional evaluation criteria are used to ensure that the teaching effects are clearly visible.

Our Milestones

2019

WorldSkills AI mobile robot designated Robot Kit.



2023

Collaborates with Arduino for global STEM education.





2025

launch MATRIX MissionGO Set for WRO RoboMission.



2017

Developed by KKITC, the MATRIX robot has earned recognition from both FIRST and WRO.



2022

MARC (Master AI Robot Cup) designated Robot Kit.



2024

WRO Future innovators competition kit partner and provide teaching content on the WRO learning platform.





MATRIX: The bridge to the future of robotics

Transition from SPIKE to MATRIX: 100% compatible and open source ready.

Plastic brick

MATRIX building system(Metal) Operate > Create



MATRIX building system(Metal) Create > Operate




6-12 years old

12-15 years old

16-18 years old

- ► Real-world assembly logic and use the ML quick connector compatible with Plastic brick.
- ► Extremely durable, with high collision and load capacity.
- ► Metric structure components (open source)
- ► Supports Scratch and ArduinoIDE ► lights-out manufacturing (open source)
- ► With maker equipment (3D printing & laser cutting)
- ▶ Simulation to real
- ▶ Autonomous vehicles
- ► Automatic Storage retrieval system

The AI Robotics Education Roadmap by MATRIX



MATRIX Controller

Key to the World of Real Engineering

MATRIX Mini R4 MATRIX Mini 2.0 RGB LED I2C I/O RGB LED IIART I/O UART I/O RC Servo Out Digital I/O Analog In RC Servo Out DC Motor Out DC Motor Out User Button Dual-processor architecture: The Arduino UNOR4 WiFi is the core controller, Single-processor architecture: responsible for the main program logic and user The core processor is the wellinteraction, along with Wi-Fi and Bluetooth known Arduino UNO R3 wireless communications. (ATmega328P). The STM32F103 micro controller then acts as a co-processor to efficiently handle real-time tasks such as motor driving and reading sensor data. 2 DC, 4 servo, 4 digital, 3 analog,4 4 DC, 4 servo, 4 motor encoder, 4 digital, 3 I²C,1 UART, supports SPI analog,4 I²C,1 UART, supports SPI and CAN Bus Input: user buttons Input: user buttons, inertial measurement unit Output: RGB LEDs Output: RGB LEDs, Buzzer, OLED screen









MATRIXBlock Visualize Your Code in Action





.0 Mini R4

Drag, Drop, Create

With Scratch-block based system, and you can directly see the C++ code corresponding to each block. MATRIXblock will become your bridge to Coding.

Built-in Lessons

Our built-in tutorials guide you through every essential aspect, helping you get up to speed fast.

Serial with Visualize

MATRIXblock includes a serial monitor with a graph view, letting you track and visualize sensor data easily in real-time.







MATRIXblock R4 Update!

- Smarter control, greater stability
- DC motor advanced control: precision for any motor.
- IMU enhancements: redesigned STM32-based algorithm
- Drive DC chassis control class: a unified driving system.
- Color sensor improvements, a new color ID mode.
- Example programs and fixes.
- Stability and bug fixes.

Firmware Update Available, Ver: 6.0

Please download and update your controller's firmware via File->Firmware Update

Don't ask me again.




MATRIX Building System


All components are meticulously designed to ensure high compatibility and synergy, allowing users to rapidly translate concepts into concrete robotics prototypes and applications.



Design in Studio & SolidWorks



Connect HIWIN Linear Guides



ML Quick Connector



Perfect Match

Fully compatible with brick - connects plastic and metal with flawless precision.

Stronger Together

Combine MATRIX's durability with brick's versatility for advanced hybrid builds.



Our Clients Say



MATRIX Video



Vahid Jourabchi, National Organiser of WRO in Oman

What truly elevates MATRIX to a new level is the latest update to MATRIXBlock, its graphical programming environment.

The improved movement control—especially the new Advanced Movement Blocks—has greatly increased the accuracy and reliability of the robot behaviour. Since precise movement is essential in robotics competitions, this update puts MATRIX in a much stronger position for competitive robotics education.

Overall, MATRIX continues to evolve in impressive ways, offering both ease of use and strong technical capability.



Darren Ng, Founder of TESSLAB ROBOTICS

As an international world champion coach, I highly recommend the MATRIX Robotics System.

Its unique building system helps students learn real-world engineering skills and innovative building methods.

The programming interface effectively bridges Scratch-based coding and C++, preparing students from beginner to advanced levels for the future of robotics and engineering.



Liza Waseem, WRO Pakistan Coordinator

I recently completed the three introductory webinars for the MATRIX Future Innovators Kit. The sessions offered a clear overview of the kit and MATRIXBlock software, making it easy to start experimenting creatively—even for someone familiar with platforms like EV3.

With a bit more technical depth or advanced sessions, this could grow into a very solid training program. I'm excited to keep exploring the MATRIX ecosystem!

MATRIX Education Solution







ROBOTICS SYS	TEM			
Product	MATRIX Mini Essential Set	MATRIX Mission GO Set		
SKU	MR0001v2	MA321		
Controller	MATRIX Mini 2.0	MATRIX Mini R4		
Part Quantity	165 pcs	242 pcs		
Electronic module	Color×1,Laser×1, Joystick×1	Line Tracer×1, Color×1		
Motor	TT Motor (metal gear)×2	TT Encoder Motor (metal gear) ×2, RC Servo (metal gear) ×1, Micro Servo (metal gear) ×1		
Quick Connector	Quick Connector: 5mm×50, 7mm×20, 12mm×20	ML Quick Connector ×40, Quick Connector – Battery Box×4, Quick Connector: 5mm×40, 7mm×40, 12mm×40		
Optional	MX120 Expansion Set	MX300 Expansion Set , Joystick2		
Feature	Enlightenment Robot	Mission-Ready Core Set		
Competition	WRO RoboStarter sumo MARC LOM	WRO RoboMission		



MATRIX Future Innovators Set

MAFI900

MATRIX Mini R4

660 pcs

Color Sensor×2, Grayscale Sensor×1,

Laser Sensor×2, Miniature Switch×2,

Temperature and Humidity Sensor×1,

PIR Motion Sensor×1, Potentiometer Sensor×1,

Water Level Sensor×1, Soil Moisture Sensor×1,

Gesture Sensor×1, One Wire Temperature Sensor×1


TT Encoder Motor (metal gear)×2, TT Motor (metal gear)×2, Micro Servo (metal gear) ×2

Quick Connector: 5mm×80, 7mm×60, 12mm×40


M-Vision Cam (Visual module), Joystick2

Rapid Prototyping Tool

WRO Future Innovators









MATRIX Mini Essential Set






Unboxing Video

A quick-start enlightenment robot kit

Mastery begins with Remote Control and advances to Block-based Programming. Discover the excitement of learning in competition!



K-12 STEM

Interdisciplinary learning

Competitions & Certifications

Specification

Building System				Motors/Wheels		Sensors	
	01-0003 L Shaped Beam - 3 Hole 2 pc	6	05-0309 Flanged Plate 3 x 9 Hole 2 pc		MTT-MG001-BK MATRIX TT Motor with metal gear box & Brackets (1 Pair) 1 pc	MATRIX • •	MS-009V2-RJ12 MATRIX Laser Sensor V2(RJ12 1 pc
	01-0009 L Shaped Beam - 9 Hole 2 pc	G 0000	06-0005 C Shaped Beam - 5 Hole 2 pc	®	TT-TIRE_B MATRIX TT Wheel (Blue Rim) 2 pc	MATRIX	•
	01-0021 L Shaped Beam - 21 Hole 2 pc		06-0013 C Shaped Beam - 13 Hole 1 pc	6	13-0010 MATRIX Steel Ball Caster 2 pc	C HOSE O	MS-002V3-RJ12 MATRIX Color Sensor V3(RJ12 1 pc
	03-0002 Beam Joiner - 2D Right Angle 4 pc		07-0007 Servo Horn Wheel Brace - Long 4 pc		Accessory		Tools
	04-0305 Gusset Plate 3 x 5 Hole 2 pc		17-0709 Triangle Plate 6-8-10 Hole 2 pc		MATRIX Joystick Pack 1 pc Controller	•	8020P-2 M4 Hex Wrench and Crosshead screwdriver
	04-0309 Gusset Plate 3 x 9 Hole 2 pc	7	11-6050 MATRIX Quick Connector - 5mm 50 pc	<u> </u>	MR-000 V2-4 MATRIX Mini Controller		15-0001 MATRIX Quick Connector Staple 1 pc
	04-0921 Gusset Plate 9 x 21 Hole 2 pc		11-6070 MATRIX Quick Connector - 7mm 20 pc	-	Set (V2.4) 1 pc		
6	05-0303 Flanged Plate 3 x 3 Hole 2 pc	7	11-6120 MATRIX Quick Connector - 12mm 20 pc		5521DC-06V2 6 Cell AA Battery Box V2		
100	05-0307 Flanged Plate 3 x 7 Hole 2 pc	O	11-4403 M4 Nylon Shoulder Washer 20 pc				

Resources

Teaching presentation

Learn to Build a Sumo Robot with MATRIX Mini Essential Set

Lesson1 Robots in Life

Lesson2 Language to Communicate with Robots

Lesson3 Understanding Robot Sumo

Lesson4 Robot's Grand Turn

Lesson5 Remote Control Robot Part 1

Lesson6 Remote Control Robot Part 2

Lesson7 Color sensor

Lesson8 Line-Following Challenge

Lesson9 Laser sensor

Lesson10 Crash Contes

Lesson11 Robot Modification

Lesson12 Automated Program Design

Lesson13 Manual Program Design

Lesson14 Robots with Dual-Mode Control

Lesson15 Robot Sumo Challenge Part 1

Lesson16 Robot Sumo Challenge Part 2

Play RoboStarter with MATRIX Mini Essential Set

Lesson1 Introduction to Robot Sumo

Lesson2 Robot Movement

Lesson3 Robot Sumo Remote Control

Lesson4 Robot Sumo with Laser Sensor

Lesson5 Robot Sumo with Color Sensor

Lesson6 Play Robot Sumo

Guidebook

MATRIX Robotics Guidebook- Mini 2.0 Controller Edition
MATRIX Robotics Guidebooks – Structural Components Edition


Result

Competition

WRO RoboStarter sumo



MARC LOM (League of Mecha-clash)



Certification







MATRIX MissionGO Set

MA321



Introducing Video

Mission-ready core set for WRO RoboMission

Applicable to all robot challenge categories, this kit is the ideal starting tool for competitors. It provides a streamlined chassis structure, along with functional and practical sensors and ML Quick Connector compatible with Plastic brick, making it the perfect entry point into competitive robotics.

Sample available Nov 2025

Pre order from Nov-Dec 2025

Shipping from Jan 2026




K-12 STEM

Interdisciplinary learning

Competitions & Certifications

Specification





Resources

Teaching presentation

Learn to Build a Mission Robot with MATRIX MissionGO Set

Lesson1 Robot Mission Introduction

Lesson2 Parts Introduction & Assembly Techniques

Lesson3 Assembling the Robot

Lesson4 Software Installation and Introduction

Lesson5 Firmware Update Tutorial

Lesson6 OLED Panel Usage

Lesson7 Basic Blocks Part 1

Lesson8 Basic Blocks Part 2

Lesson9 Basic Blocks Part 3

Lesson10 Motor Blocks – Basic

Lesson11 Motor Blocks - Intermediate

Lesson12 Motor Blocks - Advanced

Lesson13 Practical Challenge

Lesson14 Servo Gripper Control

Lesson15 Color Sensor

Lesson16 Line Following Part 1

Lesson17 Line Following Part 2

Lesson18 Line Following Part 3

Lesson19 Comprehensive Challenge

Lesson20 LEGO and 3D Printing

Lesson21 GPIO

Guidebook

MATRIX Robotics Guidebook- R4 Controller Edition


MATRIX Robotics Guidebooks – Structural Components Edition

Result

Competition

WRO RoboMission





Certification







MATRIX Future Innovators Set

MAFI900



Unboxing Video

Official co-branded kit by WRO X ARDUINO X MATRIX **Enabling everyone to quickly realize real-world** innovative solutions.

- Easy to Use, Time and Effort Saving.
- Rapid Prototyping Tool, Quickly validate innovative ideas.
- Metal material, durable and eco-friendly.
- Sustainable Curriculum, Zero Waste.





K-12 STEM

Competitions & Certifications


Interdisciplinary learning

> Maker & development

Science and technology clubs

Topic Research


Specification


























































Resources

Teaching presentation

Learn to Build a robot solution with MATRIX Future Innovators Set

Lesson1 MAFI900 Introduction & Basic Test Part 1

Lesson2 MAFI900 Introduction & Basic Test Part 2

Lesson3 Tap to Light Up the Night Lamp

Lesson4 Safety Alarm System

Lesson5 Micro Switch Mechanism

Lesson6 Firmware Flashing Tutorial

Lesson7 Grayscale Sensor

Lesson8 Color Sorting System

Lesson9 Lighting Control

Lesson10 Environmental Monitoring Station

Lesson11 Smart Plant Pot

Lesson12 Laser Beam Security Line

Lesson13 Gesture Remote Controller

Guidebook

MATRIX Robotics Guidebook- R4 Controller Edition


MATRIX Robotics Guidebooks – Structural Components Edition

Result

Competition

WRO Future Innovators





Certification







MATRIX FTC Challenge Set

FTC-M110



All-new MATRIX FTC Challenge Set has over 700 MATRIX parts and comes with the AndyMark® NeveRest Motors.



Specification



8 pc		08-0019 4mm Axle collar
12 pc	1	09-0001 M4 Standoff Spacer 32mm
12 pc	Ũ	09-0003 M4 Standoff Spacer 16mm
2 pc		10-0080 D Shaft 80mm
4 pc	/	10-0132 D Shaft 132mm
4 pc	/	10-0164 D Shaft 164mm
32 pc		11-3404 M4 4mm Flat Point Set Screw
150 pc	Ť	11-4108 M4 8mm Button Head Screw
50 pc	Ī	11-4116 M4 16mm Button Head Screw
50 pc	1	11-4124 M4 24mm Button Head Screw
150 pc		11-4502 M4 Hex Nut With Tooth Washer
50 pc		11-4503 M4 Hex Nut With Nylon Lock
8 pc		13-0004 Spacer 8mm
20 pc		13-0005 Spacer 4mm
4 pc	To the same	13-0024 Metal Gear 24 Tooth
4 pc		13-0040 Metal Gear 40 Tooth
6 pc	1	13-0056 Metal Gear 56 Tooth
2 pc		16-0001 Omni Wheel (With 4mm Wheel & Nut & Tube)

	· •	
8 pc	Carried States	17-0709 Triangle Plate 6-8-10 Hole
2 pc		31-0049 XL L Shaped Beam - 49 Hole
4 pc		13-0009 96mm Wide Wheel
2 pc	No. of Contract	06-0302 C Channel 216mm
2 pc	Paris de la constante de la co	06-0304 C Channel 312mm
2 pc	-	06-0309 C Channel 408mm
6 pc	. 3	08-0008 6mm Hub
30 pc	Ť	11-3106 M3 Hex Socket Head Cap Screws (6mm)
1 pc		14-0005 Battery Charger
2 pc	-	14-0006 Servo Ext Wire 200mm
2 pc	0	14-0007 Servo Ext Wire 450mm
1 pc		14-0014 Battery 12V 3000mAh Ni-MH
4 pc	O. V. Salar	50-0011 Servo with Metal Gears
1 pc		15-0012 Wrench for M4 Set Screw
1 pc		15-0013 Wrench for M4 Button Head Screw
1 pc		15-0015 Storage Box(MATRIX Black)
1 pc		15-0018 3mm Cross Screwdriver
1 pc	1119/	50-0015 Tool Kit

M AndyMark


MATRIX Expansion Set

Use and enjoy the fun brought by the MATRIX Building System!




Workshop Video

Best solution to WRO RoboStarter Sumo & MARC LOM



Best solution to WRO RoboMission



Electronic module - Senor (External Analog Inputs)

MS-003V2 Grayscale Sensor V3





- Supports operating voltage 3.3V ~ 5V
- Equipped with miniature infrared sensor
- Fine-tune digital output threshold using tuning knob
- Provides both analog output (AOUT) and digital output (DOUT)
- Recommended sensing distance: 5~20mm. Adjust based on lighting conditions.

MS-013 Potentiometer Sensor







- Supports 3.3V ~ 5V operating voltage
- Provides analog output (AOUT) with output voltage range of 0 to VCC
- Knob rotation angle ranges from 0° to 300°
- Output voltage changes linearly with rotation angle

Electronic module - Senor (External Analog Inputs)

MS-014 Water Level Sensor



- Supports 3.3V ~ 5V operating voltage
- Provides analog output (AOUT) which changes with water level
- Easy to use, simple for entry-level learning and simple water detection
- PCB anti-rust design, suitable for long-term immersion (not complete immersion)

MS-016 Soil Moisture Sensor



- 3.3 5V operating voltage
- Provides analog output (AOUT) which changes with soil moisture
- Simple design, easy to install, and has various applications
- Can be used as a practical sensor in teaching or special projects

Electronic module - Senor (External Digital Inputs)

MS-004V3 Miniature Switch V3



- Outputs a digital signal (HIGH/LOW) with only two states: pressed and not pressed.
- Built-in spring return mechanism, automatically resets after bring pressed.
- Compact size and easy installation, suitable for space-limited applications.
- Simple and clear digital output makes control logic design easier.
 - Pressed → outputs HIGH (1)
 - Released→ outputs LOW (0)

MS-012 PIR Motion Sensor





- Passive infrared sensing: does not emit any signals, making it energyefficient and stable
- Built-in digital output, easy to connect with controller
- Detection range: up to 7 meters, sensing angle: approx. 100 degrees
- Suitable for applications like automatic lighting, security systems, and smart home devices

Electronic module - Senor (External Digital Inputs)

MS-011 DHT Temperature and Humidity Sensor



- Supports 3.3V to 5V operating voltage
- Detects both temperature and relative humidity
- Single digital pin outputs both parameters (temperature + humidity)
- Stable accuracy, suitable for general environmental monitoring
- Built-in signal filtering and temperature compensation for strong anti-interference
- Temperature measurement range: 0 ~ 50°C, accuracy ±2°C
- Humidity measurement range : 20 ~ 90% RH, accuracy ±5% RH

MS-015 One-Wire Temperature Sensor







- Supports 3.3V to 5V operative voltage
- High-precision temperature measurement (resolution configurable from 9 to 12 bits)
- Low power consumption, ideal for long-term monitoring
- Waterproof probe design, suitable for use in humid or enclosed environments
- Communication via 1-wire interface simple wiring (just one digital line + GND)

Electronic module - Senor (External I²C Inputs)

MS-002V2 Color Sensor V2



- Supports 3.3V to 5V operating voltage
- Supports RGB, CMYK, and Grayscale output formats
- Built-in 14-color auto classification (Color Number) function
- Supports gamma correction, closely mimicking human vision
- Automatic or PWM dimmable fill light to adapt to different lighting conditions
- Uses I²C communication interface, supports 100~400kHz transmission rate
- RGB value range is 0-255, representing the intensity of each channel
- Recommended sensing distance is approximately 5-10 mm; sensing may become unstable or affected by ambient light if too far

MS-002V3 Color Sensor V3





- Supports RGB + Clear (brightness) four-channel sensing
- Infrared filter design enhances color recognition accuracy
- Adjustable Analog Gain and Integration Time
- Built-in automatic fill light adapts to different lighting sources
- Uses I²C communication interface, supports 3.3V ~ 5V voltage systems
- RGB value range is 0-255, representing the intensity of each channel
- Recommended sensing distance is approximately 5-10 mm;
- sensing may become unstable or affected by ambient light if too far

Electronic module - Senor (External I²C Inputs)

MS-009 Laser Sensor





- Supports absolute distance measurement, range 21-1999 mm, accuracy up to 1 mm.
- Fixed sampling frequency of 50Hz (returns data up to 50 times per second)
- Distance data returned via 16-bit values (high and low bytes)
- Equipped with timeout detection function to identify detection failures or abnormal conditions
- Uses I²C communication interface, supporting 3.3V to 5V voltage systems

MS-009V2 Laser Sensor V2





- Using VL53L0X ToF sensor chip, with a ranging range of 50-1200mm
- Supports 1mm resolution with high accuracy and fast response
- Built-in 940nm infrared laser emitter, certified as a Class 1 laser device for safety
- Compact module design, ideal for embedded or spaceconstrained scenarios
- I²C communication interface, supports system voltages from 3.3V to 5V.

Electronic module - Senor (External I²C Inputs)

MS-017 Gesture Sensor





- Supports nine basic gesture recognitions (for example waving
- up/down/left/right, clockwise/counterclockwise rotation, ect.)
- Contactless detection with a sensing range of approximately 5-15 cm
- Stable operation even in low-light environments
- Fast response speed for real-time gesture recognition
- Uses I²C communication interface, compatible with MATRIX controllers
- Supports 3.3V ~ 5V operating voltage, simple wiring, and easy integration

Electronic module - Senor (External UART Inputs)

MS-010 M- Vision Cam





- Processor: STM32H7
- Clock: 480Mhz
- Flash Memory: 2Mbyte (user available program storage space not less than 100Kbyte)
- SPAM: IMbyte
- Maximum Supported Resolutions: 640*480 and under
- Operating Voltage: 5V
- Operating Current: 200mA (without fill-in light activated), 350mA (with fill-in light activated)
- Port: USB Type-C, PH2.0-4P (UART communication)
- Fixing hole: M4*2
- Note: 1Mbyte = 8Mbit*


Electronic module - Composite Inputs



- Wireless Technology: 2.4GHz wireless communication for stable remote control.
- Main Controls:
 - Dual Analog Joysticks ("mushroom heads"): One on each side, each providing X and Y
 - axis analog values (0-255) for precise direction and speed control.
 - D-pad: Digital directional input for up, down, left, and right.
 - Four Primary Action Buttons: △ (Triangle), (Circle), X
 (Cross), □ (Square)
 - Shoulder Buttons: L1, L2, R1, R2
 - Other Buttons: SELECT, START, MODE, and clickable L3 (left stick) and R3 (right stick)
- Power: Powered by two AAA batteries.
- Pairing: Can pair with its dedicated receiver; usually pre-paired at the factory.
- Operation Modes: Supports Analog (default) and Digital modes
 - mportant Note: To ensure correct joystick signal readings, we recommend remaining in
 - the default Analog mode. Digital mode may cause signal transmission issues is accidentally switched

Motion Modules – Motor & Servo

MTT-SG001 MATRIX TT Motor



MTT-SG001

MTT-SG001-BK

The dual-axis motor body has shafts on both sides, allowing for the installation of speed measurement dials, whereas single-axis motors cannot.

Motor weight: 30 grams

Reducti on Ratio	Voltage (DC/V)	No-load speed (rpm/m)	Load speed (rpm/m)	Rated torque (kg.cm)	Rated current (mA)
1:48	6	200	175	1.0	220
	7.2	250	210	1.5	250
1:120	6	120	100	1.25	250
	7.2	150	125	1.8	320
1:288	6	42	36	2.0	300
	7.2	50	42	3.0	360


Motion Modules - Motor & Servo

MTT-MG001 MATRIX TT Motor with metal gear box



- Gearbox reduces speed to around 130 rpm at 4.5V and increases torque.
- Dual-shaft design allows flexible mechanical configurations.
- Standard dimensions fit many wheel types.
- Controlled via PWM through MATRIX Mini R4 motor ports.

METT-MG001 MATRIX TT Encoder Motor with metal gear box



MTT-MG001

- MTT-MG001-BK
- Metal gears and dual shafts
- Integrated encoder sends A/B phase pulse signals
- Measures rotation speed, angle, and direction
- Enables precise distance control, speed regulation, and synchronization
- Uses 6-pin (PH2.0-6P) connector for power and signals

Motion Modules - Motor & Servo

MRC-MG15-180 MATRIX RC Servo with metal gear box




MRC-MG15-180

MRC-MG15-180-BK

- Supports operating voltage: 5 ~ 8.4V
- NoLoadSpeed: 0.19 ~ 0.16sec/60°
- Running Current(noload): 200 ~ 350mA
- StallTorque(atlocked): 15 ~ 25kg.cm
- StallCurrent(atlocked): 600mA ~ 1.5A
- IdleCurrent(atstopped): 8mA

MMRC-MG90S MMATRIX Micro Servo with metal gear box



MMRC-MG90S

MMRC-MG90S-BK

- Supports operating voltage: 4.8 & 6V
- NoLoadSpeed: 0.12 & 0.09sec/60°
- Running Current(noload): 90mA
- StallTorque(atlocked): 1.8 & 2kg.cm
- StallCurrent(atlocked): 750mA & 860mA
- IdleCurrent(atstopped): 5 ~ 6mA





To Earn This Certificate

- ► After-class learning effectiveness test.
- ► Release small project.
- ► Conditions for obtaining credits.
- ► Complete the competition to obtain a certificate.



- ► Coach of an International Award-Winning Team.
- ▶ Post important technical shares in the community.



- ▶ Delivered a webinar or workshop as the featured lecturer.
- ► Release large-scale projects.








Master AI Robot Cup



MARC advances robotics education by providing equal access to hands-on learning, interdisciplinary collaboration, and global engagement.



Rising Pioneers

PR 2025: Future Vision Robotics

The challenge encourages students to imagine how robots will support humans 10 years from now, identifying real-world problems and proposing creative AI and robotics-based solutions.



Competition Rules

Competition Rules & Requirements



Each team will prepare:

- Project Report (≤20 pages, PDF)
- Project Video (≤90 sec)
- Booth display & on-site presentation
- ► Students must complete the work (assembly, programming, booth design); coaches may guide but not execute.
- ► Evaluation focuses on creativity, functionality, process, and presentation, adjusted by age group.
- \blacktriangleright Booth size: 2m \times 2m (max height 2m), flexible display formats allowed. Safety rules strictly enforced.
- ▶ Projects must demonstrate AI elements appropriate to the group level (e.g., sensor input with explanation for younger group; multi-sensor AI decision-making for older group)

League of mecha-clash

LOM 2026: Undersea Core Contest Beneath the Surface, the Future Awaits!



Competition Rules

Exploration

Scramble

Occupation

Autonomous Mode

Let your robot think on its own.

Manual Mode

Take control and fight for dominance.

Final 30 sec

Hang your robot and secure victory!

Game Highlights

Alliance Battles Teams join forces to form two-robot alliances and

take on rivals in dynamic clashes.

Earn Points Collect energy cubes, claim the Ocean Core, and


even push opponents off the field.

Double-Elimination Finals The strongest alliances survive to the end.

MATRIX Engineering

Challenge

Build smart, move fast, and hang high.



What Makes It Special

Hybrid GameplayBalance between autonomous intelligence and

human control.

Alliance Strategy Communication and teamwork are as important as

coding.

Undersea Adventure A striking arena themed around Poseidon's Trident

and ancient ruins.

STEM in Motion Learn real-world robotics concepts — sensors, AI

logic, and mechanical design through fun and

competition.

Goal

Push innovation to its limits.

Build robots that can explore, battle, and conquer — all in one mission.

Only the most creative teams will rise to claim the Ocean Core Champion title!